Typed or printed name

PTO/SB/21 (09-04) Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE THAT TRACES erwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. Application Number 10/667,539 Filing Date TRANSMITTAL 22 September 2003 First Named Inventor **FORM** Ric S. Joranlien Art Unit 3616 **Examiner Name** David Dunn (to be used for all correspondence after initial filing) Attorney Docket Number Total Number of Pages in This Submission **ENCLOSURES** (Check all that apply) After Allowance Communication to TC Fee Transmittal Form Drawing(s) Appeal Communication to Board Licensing-related Papers of Appeals and Interferences Fee Attached Appeal Communication to TC ✓| Petition (Appeal Notice, Brief, Reply Brief) Amendment/Reply Petition to Convert to a **Proprietary Information** Provisional Application After Final Power of Attorney, Revocation Status Letter Change of Correspondence Address Affidavits/declaration(s) Other Enclosure(s) (please Identify Terminal Disclaimer below): Extension of Time Request Request for Refund **Express Abandonment Request** CD, Number of CD(s) Information Disclosure Statement Landscape Table on CD Certified Copy of Priority Remarks Document(s) Reply to Missing Parts/ Incomplete Application Reply to Missing Parts under 37 CFR 1.52 or 1.53 SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT Firm Name Ric Joranlien Signature Printed name Ric Joranlien Date Reg. No. 09/29/2005 CERTIFICATE OF TRANSMISSION/MAILING I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below: Signature Date 09/29/2005 Ric Joranlien

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.



Application No:

10/667,539

Examiner:

David Dunn

Applicant:

Ric S. Joranlien

Art Unit:

3616

Filing Date:

22 September 2003

## <u>Amendment</u>

Commissioner for Patents

Alexandria Virginia 22313

Sir,

In response to the Office Action mailed July 20th 2005, please amend the subject application as follows:

Applicant hereby elects to prosecute the invention of Species I as shown in Figure 1, Claims 1-16 and 18.

## In the Specification:

Please replace the second paragraph of the Detailed Description of the Drawings with the following rewritten paragraph:

A saddle 68 is comprised of the lower joining member 60, a support leg 70, and a further support leg 72. The support leg 70 is comprised of a saddle back 74, a saddle side 76, and a saddle foot 78. The further support leg 72 is comprised of a saddle back 74, a further saddle side 82, and a further saddle foot 84. The saddle is intended to be straddled over a driveshaft tunnel 86 which is a component of the vehicle. The support leg 70 and the further support leg 72 contacting the vehicle body. The support leg 70,

further support leg 72, saddle foot 78, and further saddle foot 84 can be positioned and/or mechanically fastened to the vehicle body, including the sides of the driveshaft tunnel or the floor adjacent the driveshaft tunnel using threaded fasteners or by welding. The attachment of the support leg 70, further support leg 72, saddle foot 78 and/or further saddle foot 84 to the driveshaft tunnel or vehicle body floor effectively anchors the entire saddle 68 to the vehicle. The saddle side 76 and the further saddle side 82 can be located immediately adjacent to the sides of the driveshaft tunnel, to help give support to the rollbar apparatus.

## In the Drawings:

Figure 1 has been corrected to include reference numbers 30 and 42. References to both the vehicle "floor" and "driveline tunnel sides" have been added. The drawing has been marked "replacement sheet" and is submitted herein.